*Clinical Chemistry* 53: 1684-1693, 2007; 10.1373/clinchem.2007.087114
(*Clinical Chemistry*. 2007;53:1684-1693.)
© 2007 American Association for Clinical Chemistry, Inc.

**Automation and Analytical Techniques**

# Plasma Free Metanephrine Measurement Using Automated Online Solid-Phase Extraction HPLC–Tandem Mass Spectrometry

**Wilhelmina H.A. de Jong[1], Kendon S. Graham[2], Jan C. van der Molen[1], Thera P. Links[3], Michael R. Morris[2], H. Alec Ross[4], Elisabeth G.E. de Vries[5] and Ido P. Kema[1,a]**

[1] Department of Pathology and Laboratory Medicine, University Medical Center, University of Groningen, Groningen, The Netherlands.
[2] Waters Corporation, Manchester, UK.
[3] Department of Endocrinology, University Medical Center, University of Groningen, Groningen, The Netherlands.
[4] Department of Chemical Endocrinology, University Medical Center, Nijmegen, The Netherlands.
[5] Department of Medical Oncology, University Medical Center, University of Groningen, Groningen, The Netherlands.

[a]Address correspondence to this author at: Department of Pathology and Laboratory Medicine, University Medical Center Groningen, P.O. Box 30001, 9700 RB Groningen, The Netherlands. Fax 0031503612290; e-mail i.p.kema@lc.umcg.nl .

http://www.clinchem.org/cgi/content/abstract/53/9/1684?maxtoshow=&hits=10&RESULTFORMAT=1&andorexacttitle=and&andorexacttitleabs=and&andorexactfulltext=and&searchid=1&FIRSTINDEX=0&sortspec=relevance&firstpage=1684&resourcetype=HWCIT

For more information about the Symbiosis Pharma system used in this application, please contact john.crutchfield@ichrom.com

Thank you.